

Spoor	Leeftijd (jr)	Tanden I	Tanden U	Tanden C	Tanden AM	Tanden PM	Tanden M	N cariës	Opmerkingen	Tandheelkundige handelingen
1	45-49				3		29			
2	18-20	12			2		18			
3	20-24	1					31			
4	18-20	4					28		glazuurhypoplasie	
5	25-30	20					12			
7	15 (+/- 36 mnd)	18	1				13			
8	>18	4					28			kunstgebit
9	niet te bepalen	1					31			
10	niet te bepalen	9					23		schepvormige incisieven	
12	niet te bepalen	21	4		2		5			
14	> 18	5					27			
15	20-25	3					29	1		
16	20-25	18					14	1		
18	35-39	20	3		1		8	1		
20	>19-25	5					27	2		
21	>20	13					19			
24	50-59	11	3		16		2			
25	60-70	25			7			2		gouden tand (element 14)
26	60+				32					kunstgebit
28	>22				28		4			kunstgebit bovenkaak
29	>50				32					kunstgebit boven- en onderkaak
30	35-39	23	2		7				1 abces, 1 fistel	2 gouden tanden, gouden kroon
31	40-80				12		20			
33	50-70		1		31					kunstgebit boven- en onderkaak
36	18-20	5			2		25			
37	30-34	19	3	1	8	1				
38	17-18	21	3				8			
39	16-18	2	1				29			
44	22-34				16		16			
45	18-20	7	1				24			
46	22-34	1			2		29			
48	25-29	4			11		17			

49	22-29	1			26		5		
55	niet te bepalen	1					31		
56	30-40	4					28		
57	niet te bepalen	10					12		
58	40-80	26	1		2		3		abrasie voortanden (door spelden oid)
59	25-30	14					18		
60	>20	7					25		
61	>20	6					26		
62	20-25	14					18	1	
63	>20-<60	13			2		17		glazuurhypoplasie
64	14-16	7					25		
65	niet te bepalen	1					31		
66	18-20	8					24		
67	18-20	13					19	1	schepvormige incisieven
69	30-60	11					21		
70	18-25	11					21		
71	20-25	14	2				16	1	
72	18-20	22					10	2	glazuurhypoplasie
73	25-30	23					9	1	
74	18-20	17	1		1		13		
77	niet te bepalen	16					16		
78	30-60	5			9		18		
79	60+				16		16		
80	60-80				18		14		
81	50-60				32				
82	50-59	5			12		15		
84	60-80				27		5		
87	45-49	7			4		21		
88	50-59	11			4		17		vulling (element 46)
89	60+	2			23		7	1	
95	50-59				16		16		
96	40-60	1			8		23		alleen element 43 aanwezig (slijtage 7)
98	50-59	1			15		16		

99	60+				16		16			
100	60+	1			22		9			
101	60+		1		31					kunstgebit boven- en onderkaak
104	40-80				16		16			kunstgebit boven- en onderkaak
105	35-39?	1					31		element 17 slijtage 6-	kunstgebit boven- en onderkaak
106	50-59				16		16		enorme alveolaire atrofie	kunstgebit boven- en onderkaak
107	niet te bepalen	3					29	1		
109	19-25	19					13		diasteem tussen 11-21	
111	30-60	5					27			
112/130	17-18	9	1				22			
113	30-60	1					31			
114	niet te bepalen	1			12		19			
115	15-16	19					13		glazuurhypoplasie	
117	17-19	22	2				8		diasteem tussen 31-41	
118	40-80	3					29			
119	60+	3			16		13			
122	60-80	4			10		18			
123	18-25	27	4			1				
124	18-24	26	2				4		schepvormige incisieven	
125	20-25	26	4		2					
126	40-80				10		22			
132	12--15	16	1				15		schepvormige incisieven	
133	16-18	18					14			
134	35-39	3					29	2		